

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/615,099	07/08/2003	Larry V. Dalrymple	104-30537	8650	
75	90 07/23/2004		EXAM	INER	
James E. Bradley BRACEWELL & PATTERSON, LLP			NGUYEN, TRAN N		
P.O. Box 61389			ART UNIT	PAPER NUMBER	
Houston, TX 77208-1389			2834		
			DATE MAILED: 07/23/2004	DATE MAILED: 07/23/2004	

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)
	10/615,099	DALRYMPLE ET AL.
Office Action Summary	Examiner	Art Unit
	Tran N. Nguyen	2834
The MAILING DATE of this communication	n appears on the cover sheet wi	th the correspondence address
Period for Reply A SHORTENED STATUTORY PERIOD FOR R THE MAILING DATE OF THIS COMMUNICATI - Extensions of time may be available under the provisions of 37 C after SIX (6) MONTHS from the mailing date of this communicatic - If the period for reply specified above, the maximum statutory p - Failure to reply within the set or extended period for reply will, by Any reply received by the Office later than three months after the earned patent term adjustment. See 37 CFR 1.704(b). Status 1) Responsive to communication(s) filed on	EPLY IS SET TO EXPIRE 3 MON. FR 1.136(a). In no event, however, may a non. a reply within the statutory minimum of thirt beriod will apply and will expire SIX (6) MON statute, cause the application to become AB mailing date of this communication, even if the statute of the st	ONTH(S) FROM eply be timely filed y (30) days will be considered timely. THS from the mailing date of this communication. ANDONED (35 U.S.C. § 133). timely filed, may reduce any ers, prosecution as to the merits is
5) ☐ Claim(s) is/are allowed. 6) ☐ Claim(s) <u>1-12</u> is/are rejected. 7) ☐ Claim(s) is/are objected to. 8) ☐ Claim(s) are subject to restriction a	nd/or election requirement.	
9) The specification is objected to by the Exa 10) The drawing(s) filed on is/are: a) Applicant may not request that any objection to Replacement drawing sheet(s) including the contact that any objected to by the contact that are contact to the contact that are contact to the contact that are contact to the contact that are contact that	accepted or b) objected to on the drawing(s) be held in abeyand orrection is required if the drawing	ce. See 37 CFR 1.85(a). (s) is objected to. See 37 CFR 1.121(d).
Priority under 35 U.S.C. § 119		
12) Acknowledgment is made of a claim for for a) All b) Some * c) None of: 1. Certified copies of the priority docur 2. Certified copies of the priority docur 3. Copies of the certified copies of the application from the International But * See the attached detailed Office action for a	ments have been received. ments have been received in A priority documents have been ureau (PCT Rule 17.2(a)).	pplication No received in this National Stage
Attachment(s)		
 Notice of References Cited (PTO-892) Notice of Draftsperson's Patent Drawing Review (PTO-9463) Information Disclosure Statement(s) (PTO-1449 or PTO/S Paper No(s)/Mail Date 	Paper No(s	summary (PTO-413) s)/Mail Date nformal Patent Application (PTO-152)

Application/Control Number: 10/615,099 Page 2

Art Unit: 2834

DETAILED ACTION

Election/Restriction

1. Applicant's election of claims 1-12, per response filed 6/14/04, is acknowledged. Since Applicant did not provide any traversal arguments to the restriction requirement, the response is considered as election without traverse; therefore, the election/restriction is made FINAL.

Claim Rejections - 35 USC § 112

2. Claims 2-3 and 8 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

In claims 2, "dielectric film is nonmeltable", and in claim 3, "the dielectric film of each of the tubes is nonmeltable and is bonded to a carrier layer of a meltable material" are indefinite because they are relative recitations. Any material would be melt at a certain melting temperature thereof. Or vice versa, that same material would be nonmeltable at a temperature that is lower than the material's melting temperature. Thus, dielectric film is nonmeltable at what temperature? The carrier layer is meltable material at what temperature?

In light of the spec, it is understood that "dielectric film is nonmeltable" and "the dielectric film of each of the tubes is nonmeltable and is bonded to a carrier layer of a meltable material" the at the temperature range that generated by the motor during operation.

In claim 3 "carrier layer of a meltable material", and in claim 8 "a layer of a material that fuses to the dielectric film" are indefinite. Neither recitations set clear limitation of the material of the carrier layer. The term "meltable material" and "material that fuses" do not provide any metes and bound for the type of material. In other words, with the recitation, one skilled in the art would not ably to figure out what kind of material, i.e., metallic or nonmetallic material, magnetic or nonmagnetic metal, fluid or gas or powder material, that has certain characteristics.

Application/Control Number: 10/615,099 Page 3

Art Unit: 2834

Thus, with this recitation, one skilled in the art would not ably to figure out or determine whether there is a patentable infringement or not. *According to MPEP section 2171*, two Separate Requirements for Claims Under 35 U.S.C. 112, Second Paragraph:

- (1) the claims must set forth the subject matter that applicants regard as their invention; and
- (2) the claims must particularly point out and distinctly define the metes and bounds of the subject matter that will be protected by the patent grant. (Emphasis added). Appropriate corrections are required.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

3. Claims 1-12 are rejected under 35 U.S.C. 103(a) as being unpatentable over Tsubokawa (US 6,176,691) in view of Beckman (US 5,306,976).

Regarding claims 1-3, 5, 8-9 and 11, Tsubokawa discloses a motor comprising:

- a housing (1);
- a stator having slots that form passages;
- a dielectric film (10) inserted within each of the passages defining a sealed outer margin; and a plurality of windings (11) inserted there through, wherein

the dielectric film is nonmeltable (10A) and is bonded to a carrier layer of a meltable material (10B). In other words, the dielectric film is composed of inner <u>slot insulation</u> film (10A) and the outer carrier layer (10B), wherein dielectric film (10A) has the characteristic of temperature withstand of 160 C degrees (table 1), which is considered to be nonmeltable, while the carrier layer (10B) has the characteristic of temperature

Art Unit: 2834

withstand of 105 C degrees (table 1), which is considered to be meltable. That means the carrier layer (10B) fuses the dielectric film (10A) when a melting temperature is applied to the carrier layer.

Tsubokawa substantially discloses the claimed invention, except for the following limitations:

The stator is discs laminated core;

dielectric film is configured as a tube, wherein the slots have side edges that are straight and outer edges that are curved, and wherein the tubes have portions that are substantially flush with the side edges and the outer edges.

Beckman, however, teaches a motor having a stator core (115) is a stack of steel laminations, i.e., laminated core that is quite well-known in the art. Beckman, particularly teaches the dielectric film (302) is configured as a slot liner tube (fig 3), wherein the tube have side edges that are straight and outer edges that are curved, and wherein the tubes have portions that are substantially flush with the side edges and the outer edges. As shown in fig 3 slot liner tube (302) is to be disposed in slot (204) between stator core (115) and winding stage (122) and is substantially coterminous with the slot at the longitudinal ends (118, 119) of the slot. Slot liner tube (302) has a transverse wall 305 and opposing side walls (308A, 308B) projecting outwardly from opposite edge margins of the transverse wall 305. The side walls (308A-B) and transverse wall (305) of the slot liner tube are substantially coterminous with the opposing surfaces (210A-B) and bottom wall (213) defining the slot, respectively. Slot liner tube (302) also includes a the end(311A-B) overlap edges bonded together. Beckman's laminated core would enhance electrical resistant characteristics of the core, and the slot liner tube configuration would enable the tube to be cuffless while having substantially same shape with the slot.

Thus, it would have been obvious to one skilled in the art at the time the invention was made to modify the stator by configuring the core as laminated core and the slot liner as a tube, as taught by Beckman. Doing so would enhance the stator core performance by increasing electrical resistance due to laminated core, and improve the slot lining for insulating the winding from the slot with enhance slot liner tube.

Regarding the material of the dielectric layer to be polyimide, and the carrier layer to be thermoplastic material, as in claims 4 and 12, dielectric material polyimide is a known suitable material for fabricating slot liner, evidently the applicant admits this fact in the

Application/Control Number: 10/615,099

Page 5

Art Unit: 2834

disclosure of Background of the Invention section. Furthermore, those skilled in the art would understand that Tsubokawa's important teaching is that the slot lining tube should be formed with a dielectric layer to insulating the winding from the core slot, and a meltable carrier layer, located facing the slot' wall, for bonding the slot liner to the slot since the carrier layer is meltable, that is having a lower melting temperature than that of the dielectric film layer. Thus, it would have been obvious to an artisan to apply this essential disclosure in selecting suitable materials for both the dielectric layer and the carrier layer. Evidently the applicant's disclosure states that the material for the dielectric layer can be many well-known material such as polyimid or may be of various meterials (spec, page 5 lines 20-24) and the carrier layer material can be many suitable material also (spec, page 6 lines 2-8).

Thus, it would have been obvious to one skilled in the art at the time the invention was made to modify the stator by selecting polyimid to be the material for the dielectric film, and to select thermoplastic as the material for the carrier layer. Doing so would to ensure the meltable and nonmeltable characteristic of the tube's layers. Also, it has been held to be within the general skill of a worker in the art to select a known material on the basis of its suitability for the intended use as a matter of obvious design choice. *In re Leshin*, 125 USPO 416.

Regarding the size and thickness of the tube, as recited in claims 6-7 and 10-11, Beckman teaches to form the slot lining tube that takes substantially the same shape and that snuggly fitted in the slot. This would yield the tube's cross-sectional area and circumference to be the same with that of the slot.

Nevertheless, it would have been obvious to one skilled in the art at the time the invention was made to modify the stator's slot lining tube by configure the size/shape thereof so that it has the cross-sectional area or the circumference that is substantially equal to that of the slot, or the determine a suitable thickness of the slot lining tube based upon the size and shape of the winding being accommodated within the slot. Such modification has been held that a change in size or shape is generally recognized as being within the level of ordinary skill in the art. *In re Rose*, 105 USPQ 237 (CCPA 1955) (emphasis added).

Application/Control Number: 10/615,099

Art Unit: 2834

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Tran N. Nguyen whose telephone number is (571) 272-2030. The examiner can normally be reached on M-F 7:00AM-4:00PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Darren Schuberg can be reached on (571)-272-2044. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at §66-217-9197 (toll-free).

ran N. Nguyen

Page 6

Primary Examiner

Art Unit 2834